

References

- Belknap, D.F. 1979. Application of amino acid geochronology to stratigraphy of late Cenozoic marine units of the Atlantic coastal plain [Ph.D. thesis]: Newark, University of Delaware, 348 p.
- Belknap, D.F., Wehmiller, J.F., 1980. Amino acid racemization in Quaternary mollusks: examples from Delaware, Maryland, and Virginia. In: Hare, P.E., Hoering, T.C., and King, K., Jr., eds., Biogeochemistry of Amino Acids. New York, John Wiley, 401-414.
- Blackwelder, B. W., I. G. MacIntyre, and O. H. Pilkey, 1982. Geology of continental shelf, Onslow Bay, NC as revealed in submarine outcrops. AAPG Bulletin, 66,44-56.
- Carey, J. S. et al. 2005. Glacially-influenced late Pleistocene stratigraphy of a passive margin: New Jersey's record of the North American ice sheet. Marine Geology 218, 155-173.
- Chen, Z-Q., Hobbs, C.H. III, Wehmiller, J.F., Kimball, S.M., 1995. Late Quaternary Paleochannel Systems on the Continental Shelf, South of the Chesapeake Bay entrance. Journal of Coastal Research, 11, 605-614.
- Corrado, J.C., Weems, R.E., Hare, P.E., Bambach, R.K., 1986. Capabilities and limitations of applied aminostratigraphy as illustrated by analyses of *Mulinia lateralis* from the late Cenozoic marine beds near Charleston, South Carolina. South Carolina Geology 30, 19-46.
- Cronin, T. M., Szabo, B.J., Ager, T.A., Hazel, J.E., Owens, J.P., 1981. Quaternary climates and sea levels of the Atlantic Coastal Plain. Science 211, 233-240.
- Culver, S.J., Farrell, K.M., Mallinson, D., Horton, B.P., Willard, D.A., Thieler, E.R., Riggs, S.R., Snyder, S.W., Wehmiller, J.F., Bernhardt, C.E., Hillier, C., 2008. Micropaleontologic record of late Pliocene and Quaternary paleoenvironments in the northern Albemarle Embayment, North Carolina, U.S.A. Palaeogeography, Palaeoclimatology, Palaeoecology 264, 54-77.
- Culver, S.J., Farrell, K.M., Mallinson, D.J., Willard, D.A., Horton, B.P., Riggs, S.R., Thieler, E.R., Wehmiller, J.F., Parham, P.R., Snyder, S.W., Hillier, C., 2011. Micropaleontologic record of Quaternary paleoenvironments in the Central Albemarle Embayment, North Carolina, U.S.A., Palaeogeography, Palaeoclimatology, Palaeoecology 305, 227-249.
- Dockal, J.A., 1995. Documentation and evaluation of radiocarbon dates from the Cape Fear Coquina (Late Pleistocene) of Snows Cut, New Hanover County, North Carolina. Southeastern Geology 35, 169-186.
- Elmore, R. D., O. H. Pilkey, W. J. Cleary, and H. A. Curran, 1979. Black shell turbite, Hatteras Abyssal Plain, western Atlantic Ocean. GSA Bulletin, 90, 1165-1176.
- Farrell, K. M. et al. 2013. Graphic logging for interpreting process-generated stratigraphic sequences and aquifer/reservoir potential: with analog shelf to shoreface examples from the Atlantic coastal plain province, U. S. A. Journal of Sedimentary Research, 83, 723-745
- Foyle, A. M and G. F. Oertel, 1997. Transgressive systems tract development and incised valley fills within a Quaternary estuary-shelf system, Virginia inner shelf, USA. Marine Geology, 137, 227-249
- Garrison, E. G., Weaver, W., Littman, S. L., Hale, J. C., Srivastava, P., 2012. Late Quaternary paleoecology and Heinrich events at Gray's Reef National Marine Sanctuary, South Atlantic Bight, Georgia. Southeastern Geology 48, 165-184.

Groot, J.J., Ramsey, K.W., Wehmiller, J.F., 1990. Ages of the Bethany, Beverdam, and Omar Formations of southern Delaware: Delaware Geological Survey Report of Investigations, No. 47, p. 1-19.

Groot, J. J., Benson, R. N., Wehmiller, J. F., 1995. Palynological, foraminiferal and aminostratigraphic studies of Quaternary sediments from the U. S. middle Atlantic upper continental slope, continental shelf, and coastal plain. *Quaternary Science Reviews* 14, 17-49.

Hare, P.E., Mitterer, R. M., 1967. Nonprotein amino acids in fossil shells. *Carnegie Institution of Washington, Yearbook* 65, 362.

Hare, P.E., Mitterer, R. M., 1969. Laboratory simulation of amino acid diagenesis in fossils. *Carnegie Institution of Washington, Yearbook* 67, 205.

Hare, P.E., Abelson, P.H. 1965. Amino acid composition of some calcified proteins. *Carnegie Institution of Washington, Yearbook* 64, 223.

Hare, P. E. , Abelson, P.H., 1968. Racemization of amino acids in fossil shells, *Carnegie Institution of Washington Yearbook* 66: 526-528.

Harris, M.S., 2000. Influence of a complex geologic framework on Quaternary coastal evolution: An example from Charleston, South Carolina [Ph.D. thesis]: Newark, University of Delaware, 330 p.

Hine, A. C., Snyder, S. W. P., 1985. Coastal lithosome preservation: evidence from the shoreface and inner continental shelf off Bogue Banks, North Carolina. *Marine Geology* 63, 307-330.

Hollin, J. T., Hearty, P. J., 1990. South Carolina interglacial sites and stage 5 sea levels. *Quaternary Research* 33, 1-17.

Jones, D.S., Mueller, P.A., Acosta, T., Shuster, R.D., 1995. Strontium isotope stratigraphy and age estimates for the Leisey shell pit faunas, Hillsborough County, Florida: *Bulletin of the Florida Museum of Natural History, Biological Sciences*, v. 37, Part 1, p. 93-105.

Karrow, P. F., Bada, J.L., 1980. Amino acid racemization dating of Quaternary raised marine terraces in San Diego County, California. *Geology* 8, 200-204.

Karrow, P.F., Morgan, G.S., Portell, R.W., Simons, E., Auffenberg, K., 1996. Middle Pleistocene (early Rancholabrean) vertebrates and associated marine and non-marine invertebrates from Oldsmar, Pinellas County, Florida, *in* Stewart, K.M. and Seymour, K.L., eds., *Palaeoecology and palaeoenvironments of late Cenozoic mammals: Tributes to the career of C. S. (Rufus) Churcher*: Toronto, University of Toronto Press, p. 97-113.

Krantz, D. E., 1991. A chronology of Pliocene sea-level fluctuations: The U. S. Middle Atlantic Coastal Plain record. *Quaternary Science Reviews* 10, 163-174.

Macintyre, I. G., O. H. Pilkey, and R. Stuckenrath, 1976. Relict oysters on the United States Atlantic continental shelf: A reconsideration of their usefulness in understanding late Quaternary sea-level history. *GSA Bulletin* 89, 277-282.

Mallinson, D., Riggs, S., Culver, S., Thieler, E.R., Foster, D. Corbett, D., Farrell, K., Wehmiller, J., 2005. Late Neogene and Quaternary evolution of the northern Albemarle Embayment (Mid-Atlantic Continental Margin, USA). *Marine Geology* 217, 97-117.

Mallinson, D., Burdette, K., Mahan, S., Brook, G., 2008. Optically stimulated luminescence age controls on late Pleistocene and Holocene coastal lithosomes, North Carolina, USA. *Quaternary Research* 69, 97-109.

Mallinson, D.J., Culver, S.J., Riggs, S.R., Thieler, E.R., Foster, D., Wehmiller, J., Farrell, K., Pierson, J., 2010. Regional seismic stratigraphy and controls on the Quaternary evolution of the Cape Hatteras region of the Atlantic passive margin; USA. *Marine Geology* 268, 16-33.

McCartan, L., Owens, J.P., Blackwelder, B.W., Szabo, B.J., Belknap, D.F., Kriausakul, N., Mitterer, R.M., Wehmiller, J.F., 1982. Comparison of amino acid racemization geochronometry with lithostratigraphy, biostratigraphy, uranium-series coral dating, and magnetostratigraphy in the Atlantic coastal plain of the southeastern United States. *Quaternary Research* 18, p. 337-359.

McCartan, L., Lemon, E.M., Jr. , Weems, R.E., 1984. Geologic map of the area between Charleston and Orangeburg, South Carolina. U.S. Geological Survey Miscellaneous Investigations Series, Map I-1472, scale 1:250,000.

McKenna and Ramsey, 2002: Evaluation of sand resources, Atlantic offshore, Delaware
<http://www.dgs.udel.edu/sites/dgs.udel.edu/files/publications/ri63.pdf>

Miller, K. et al. 2013. Pleistocene Sequence Stratigraphy of the shallow continental shelf, offshore New Jersey: Constraints by IODP Leg 313 coreholes. *Geosphere* 9, 74-95.

Miller, W. III , 1982. The paleoecologic history of late Pleistocene estuarine and marine fossil deposits in Dare County, North Carolina. *Southeastern Geology*, 23, 1-13.

Mirecki, J. E., 1990. Aminostratigraphy, geochronology, and geochemistry of fossils from late Cenozoic marine units in southeastern Virginia [Ph. D. thesis]: Newark, University of Delaware, 199 p..

Mirecki, J. E., Wehmiller, J. F., Skinner, A., 1995. Geochronology of Quaternary coastal units, southeastern Virginia. *Journal of Coastal Research* 11, 1135-1144.

Mitterer, R. M., 1974. Pleistocene stratigraphy in southern Florida based on amino acid diagenesis in fossil *Mercenaria*. *Geology* 2, 425-428.

Mitterer, R.M., 1975. Ages and diagenetic temperatures of Pleistocene deposits of Florida based on isoleucine epimerization in *Mercenaria*. *Earth and Planetary Science Letters* 28, 275–282.

Mixon, R. and O. Pilkey, 1976. Geology of the Cape Lookout Quadrangle. USGS Prof. Paper 859, 45 pages.

Mixon, R.B., Szabo, B.J. Owens, J.P., 1982. Uranium-series dating of mollusks and corals, and age of Pleistocene deposits, Chesapeake Bay area, Virginia and Maryland: U.S. Geological Survey Professional Paper 1067-E, p. 1-18.

Muhs, D. R., Wehmiller, J. F., Simmons, K. R., and York, L. L., 2004. Quaternary sea level history of the United States. In: Gillespie, A. R., Porter, S. C., Atwater, B. F (Eds.), *The Quaternary Period in the United States*. Elsevier, Amsterdam, pp. 147-183.

Oaks, R.Q., Coch, N.K., Sanders, J.E., Flint, R.F., 1974. Post-Miocene shorelines and sea levels, southeastern Virginia, in Oaks, R.Q., Jr., and DuBar, J. R., eds., *Post-Miocene stratigraphy, central and southern Atlantic coastal plain*: Logan, Utah, Utah State University Press, p. 53-87.

Oertel, G. F. et al. 2008. The influence of drainage history on pathways of barrier retreat: an example from Chincoteague Bight, Virginia USA. *Southeastern Geology* 45, 179-201.

Oldale, R.N., Valentine, P.C., Cronin, T.M., Spiker, E.C., Blackwelder, B.W., Belknap, D.F., Wehmiller, J.F., Szabo, B.J., 1982. Stratigraphy, structure, absolute age, and paleontology of the upper Pleistocene deposits at Sankaty Head, Nantucket Island, Massachusetts. *Geology* 10, 246-252.

O'Neal, M.L., Wehmiller, J.F., and Newell, W.L., 2000. Amino acid geochronology of Quaternary coastal terraces on the northern margin of Delaware Bay, southern New Jersey, USA, *in* Goodfriend, G.A., Collins, M.J., Fogel, M.L., Macko, S.A., and Wehmiller, J.F., eds., *Perspectives in Amino Acid and Protein Geochemistry*: Oxford, Oxford University Press, p. 301-319.

Owens, J.P., 1989. Geologic map of the Cape Fear region, Florence 1° x2° quadrangle and northern half of the Georgetown 1° x2° quadrangle, North Carolina and South Carolina. U.S. Geological Survey Miscellaneous Investigations Map I-1948-A, scale 1:250,000.

Parham, P.R., Riggs, S.R., Culver, S.J., Mallinson, D.J., Wehmiller, J.F. 2007. Quaternary depositional patterns and sea-level fluctuations, northeastern North Carolina. *Quaternary Research* 67, 83-99.

Pilkey, O. H. et al. 1969. Aspects of carbonate sedimentation on the Atlantic continental shelf off the southern United States. *Jour. Sed. Pet.*, 39, 744-768.

Pilkey, O. H. 1981. The Georgia embayment continental shelf: stratigraphy of a submergence. *GSA Bulletin* 92, 52-63.

Potter, E.-K., Lambeck, K., 2003. Reconciliation of sea-level observations in the Western North Atlantic during the last glacial cycle. *Earth and Planetary Science Letters* 217, 171-181.

Ramsey, K.W., 2010. Stratigraphy, correlation, and depositional environments of the Middle to Late Pleistocene interglacial deposits of southern Delaware. *Delaware Geological Survey Report of Investigations* 76, p 1-43.

Riggs, S. R., Belknap, D.F., 1988. Upper Cenozoic processes and environments of continental margin sedimentation: eastern United States. In "The Atlantic Continental Margin: U.S." (R. E. Sheridan and J. A. Grow, Eds.), pp. 131-176. *Geological Society of America DNAG Vol. I-2*.

Riggs, S. R., York, L. L., Wehmiller, J. F., and Snyder, S. W., 1992. Depositional patterns resulting from high-frequency Quaternary sea-level fluctuations in northeastern North Carolina. In: Fletcher, C. H. III and Wehmiller, J. F. (Eds.). *Quaternary Coasts of the United States: Marine and Lacustrine Systems*. Society of Economic Paleontologists and Mineralogists Special Publication 48, p. 155-160.

Riggs, S. R., Cleary, W. J., Snyder, S. W., 1995. Influence of inherited geologic framework on barrier shoreface morphology and dynamics. *Marine Geology* 126, 213-234.

Scott, T.W., Swift, D.J.P., Whittecar, G.R., Brook, G.A., 2010. Glacioisostatic influences on Virginia's late Pleistocene coastal plain deposits. *Geomorphology* 116, 175-188.

Sheridan R.E., Ashley, G.M., Miller, K.G., Waldner, J.S., Hall, D.W., Uptegrove, J., 2000. Offshore-onshore correlation of upper Pleistocene strata, New Jersey coastal plain to continental shelf and slope. *Sedimentary Geology* 134, 197-207.

Szabo, B. J., 1985. Uranium-series dating of fossil corals from marine sediments of the United States Atlantic coastal plain. *Geological Society of America Bulletin* 96, 398-406.

Thieler, E. R., Foster, D. S., Himmelstoss, E. A., and D. A. Mallinson, 2014. Geologic framework of the northern North Carolina inner continental shelf and its influence on coastal evolution. *Marine Geology* 348, 113-130.

Tiling, G., Oches, E.A., 2002. Aminostratigraphy of Pleistocene sediments in Florida. Geological Society of America, Abstracts with Programs, 34(6), 274.

Toscano, M.A., 1992. Record of oxygen isotope stage 5 on the Maryland inner shelf and Atlantic coastal plain – a post-transgressive-highstand regime, *in* Fletcher, C.H., III, and Wehmiller, J.F., eds., Quaternary coasts of the United States: Marine and lacustrine systems: SEPM (Society for Sedimentary Geology) Special Publication 48, p. 89-100.

Toscano, M.A. York, L.L., 1992, Quaternary stratigraphy and sea-level history of the US Middle Atlantic Coastal Plain. Quaternary Science Reviews 11, 301-328.

Uptegrove et al. 2012. Geology of the New Jersey Offshore in the Vicinity of Barnegat Inlet and Long Beach Island, Uptegrove, Jane, Waldner, Jeffrey S., Stanford, Scott D., Monteverde, Donald H., Sheridan, Robert E., and Hall, David W., 2012, scale 1 to 80,000, sizes 33x50 and 36x51, 3 cross-sections, 22 figures, 5 tables, and a 13-page pamphlet.

Wehmiller, J.F., 1982. A review of amino acid racemization studies in Quaternary mollusks: stratigraphic and chronologic applications in coastal and interglacial sites, Pacific and Atlantic coasts, United States, United Kingdom, Baffin Island, and Tropical Islands. Quaternary Science Reviews 1, 83–120.

Wehmiller, J. F., 1993. Applications of Organic Geochemistry for Quaternary Research: aminostratigraphy and aminochronology. In: Engel, M. and Macko, S. (Eds.). Organic Geochemistry, Plenum, New York. p. 755-783.

Wehmiller, J. F. (2013). United States Quaternary coastal sequences and molluscan racemization geochronology – What have they meant for each other over the past 45 years? Quaternary Geochronology 16, 3-20.

Wehmiller, J.F., Belknap, D.F., 1978. Alternative kinetic models for the interpretation of amino acid enantiomeric ratios in Pleistocene mollusks: examples from California, Washington, and Florida. Quaternary Research 9, 330-348.

Wehmiller, J. F., Belknap, D. F., 1982. Amino acid age estimates, Quaternary Atlantic Coastal Plain: Comparison with U-series dates, biostratigraphy, and paleoclimatic control. Quaternary Research 18, 311-336.

Wehmiller, J.F., Miller, G.H., 2000. Aminostratigraphic dating methods in Quaternary geology. In: Noller, J.S., Sowers, J.M., Lettis, W.R. (Eds.), Quaternary Geochronology, Methods and Applications, American Geophysical Union Reference Shelf, vol. 4, pp. 187–222.

Wehmiller, J. F., Belknap, D. F., Boutin, B. S. , Mirecki, J. E. , Rahaim, S. D. , and York, L. L., 1988. A review of the aminostratigraphy of Quaternary mollusks from United States Atlantic Coastal Plain sites. In: Easterbrook, D. L. (Ed.). Dating Quaternary Sediments, Geological Society of America Special Paper 227: 69-110.

Wehmiller, J. F., York, L. L., Belknap, D. F., and Snyder, S. W., 1992. Theoretical correlations and lateral discontinuities in the Quaternary aminostratigraphic record of the U. S. Atlantic Coastal Plain. Quaternary Research 38, 275-291.

Wehmiller, J.F., York, L.L., Bart, M.L., 1995. Amino acid racemization geochronology of reworked Quaternary mollusks on US Atlantic coast beaches: Implications for chronostratigraphy, taphonomy, and coastal sediment transport. Marine Geology 124, 303-337.

- Wehmiller, J. F., Stecher III, H.A., York, L.L., Friedman, I., 2000. The thermal environment of fossils: effective ground temperatures (1994–1998) at aminostratigraphic sites, U.S. Atlantic coastal plain. In: Goodfriend, G.A., Collins, M.J., Fogel, M.L., Macko, S.A., Wehmiller, J.F. (Eds.), *Perspectives in Amino Acid and Protein Geochemistry*. Oxford Univ. Press, Oxford/New York, pp. 219–250.
- Wehmiller, J. F., Simmons, K. R., Cheng, H., Edwards, R. L., Martin-McNaughton, J., York, L. L., Krantz, D. E., Shen, C.-C., 2004. Uranium-series coral age from the US Atlantic Coastal Plain - the "80 ka problem" revisited. *Quaternary International* 120, 3-14.
- Wehmiller, J. F., Oches, E., Portell, R., Karrow, P., Sanford, P., Tiling, G., Belknap, D. F., and York, L., 2009. Aminostratigraphy of the marine Plio-Pleistocene of Florida – History and Progress Report. *Geological Society of America Abstracts with Programs* 41(1), 21
- Wehmiller, J.F., Thieler, E.R., Miller, D., Pellerito, V., Bakeman Keeney, V., Riggs, S.R., Culver, S., Mallinson, D., Farrell, K.M., York, L.L., Pierson, J., Parham, P.R., 2010. Aminostratigraphy of surface and subsurface Quaternary sediments, North Carolina coastal plain, USA, *Quaternary Geochronology* 5, 459-492. doi:10.1016/j.quageo.2009.10.005.
- Wehmiller, J.F., Harris, W.B., Boutin, B.S., Farrell, K.M. (2012). Calibration of amino acid racemization (AAR) kinetics in United States Mid-Atlantic Coastal Plain Quaternary mollusks using $^{87}\text{Sr}/^{86}\text{Sr}$ analyses: evaluation of kinetic models and estimation of regional Late Pleistocene temperature history. *Quaternary Geochronology* 7, 21-36.
- Wehmiller, J. F. and V. Pellerito, 2015. An evolving database for Quaternary aminostratigraphy. *GeoResJ.* 6, 115-123.
- Wehmiller, J. F., V. Pellerito (2015). Database of Quaternary Coastal Geochronologic Information for the Atlantic and Pacific Coasts of North America. Delaware Geological Survey Open File Report No. 50, p. 1-3. <http://www.dgs.udel.edu/publications/ofr50-database-quaternary-coastal-geochronologic-information-atlantic-and-pacific-coast>
- Whitmore et al., Elephant teeth from the Atlantic Continental Shelf. *Science* 1967 v 156 p 1467-1481
- Williams, C. P., 1999 Late Pleistocene and Holocene stratigraphy of the Delaware inner continental shelf. MS Thesis, University of Delaware, Newark. 175 pages.
- York, L. L., 1990. Aminostratigraphy of U. S. Atlantic coast Pleistocene deposits: Maryland continental shelf and North and South Carolina coastal plain. Ph D thesis, Newark, Univ. of Delaware, 580 p.
- York, L. L., Wehmiller, J. F., 1992. Aminostratigraphic results from Cape Lookout, N.C. and their relation to the preserved Quaternary marine record of SE North Carolina. *Sedimentary Geology* 80, 279-291.
- York, L. L., Wehmiller, J. F., Cronin, T. M., Ager, T. A., 1989. Stetson Pit, Dare County, North Carolina: an integrated chronologic, faunal, and floral record of subsurface coastal Quaternary sediments. *Palaeogeography, Palaeoclimatology, Palaeoecology* 72, 115-132.