

Evidence of the K-Pg Impact in California, Lawrence L. Busch and Russell V. Miller, 2016
Evidence for Reassignment of Kaolinite- and Quartz-Rich Strata of the Basal Tertiary Section in California to the Lower Paleocene, Russell V. Miller and Lawrence L. Busch, 2016

References:

Abbott, P.L., Hanson, A.D., Thomson, C.N., Logue, D.L., Bradshaw, K.D., Pollard, W.J., Seeliger, T.E., 1993, Geology of the Paleocene Sepultura Formation, Mesa de la Sepultura, Baja California: Ciencias Marinas, v. 19, No. 1, p. 75-93.

Abbott, P.L., Minch, J.A., and Peterson, G.L., 1976, Pre-Eocene paleosol south of Tijuana, Baja California, Mexico: Journal of Sedimentary Petrology, v. 46, p. 355-361.

Allen, Victor T., 1929, The Lone Formation of California: Bulletin of the Department of Geological Sciences [University of California], v. 18, no. 14, p. 347-448.

Bartow, A.J., and McDougall, K., 1984, Tertiary stratigraphy of the southeastern San Joaquin Valley, California: U.S. Geological Survey Bulletin 1529-J, 44p.

Bourgeois, J., Hansen, T.A., Wiberg, P.L., and Kauffman, E.G., 1988, A tsunami deposit at the Cretaceous-Tertiary boundary in Texas: Science, v. 241, p. 567–580.

Bralower, T.J., Paull, C.M., and Leckie, R.M., 1998, The Cretaceous-Tertiary boundary cocktail: Chicxulub impact triggers margin collapse and extensive sediment gravity flows: Geology, v. 26, p. 331–334.

Busby, C.J., Yip, G., Blikra, L., and Renne, P., 2002, Coastal landsliding and catastrophic sedimentation triggered by Cretaceous-Tertiary bolide impact: a Pacific margin example?: Geology, v. 30, no. 8, p. 867-890.

Busch, L.L., and Miller, R.V., 2016 Evidence of the K-Pg Impact in California: *abstract*, GSA Cordilleran Section abstracts with program, v. 48, No. 4, A5-1.

Cox, Brett F., 1982, Stratigraphy, sedimentology, and structure of the Goler Formation, El Paso Mountains, California; implications for Paleogene Tectonism on the Garlock Fault Zone: Dissertation, University of California, Riverside, 266 p., 2 plates.

Cox, Brett F., 1987, Stratigraphy, depositional environments, and paleotectonics of the Paleocene and Eocene Goler Formation, El Paso Mountains, California – geologic summary and road log, *in* Cox, B.F., (ed.), Basin analysis and paleontology of the Paleocene and Eocene Goler Formation, El Paso Mountains, California: SEPM Book 57, p. 1-29.

Creely, Scott, and Force, E.R., 2007, Type region of the Lone Formation (Eocene), central California: stratigraphy, paleogeography, and relation to the Auriferous Gravels: U.S. Geological Survey Open File Report 2006-1378, 65 p.

Croskell, M.S., and Collins, G.C., 2002, Formation of the Double K/T boundary layer in North America: 33rd Annual Lunar and Planetary Science Conference, abstract no. 1103, 2 p.

Crowell, J.C., and Suzuki, T., 1959, Eocene Stratigraphy paleontology, Orocopia Mountains, southeastern California: Geological Society of America Bulletin, v. 70, p. 581-592.

D'Hondt, Steven, Pilson, M.E., Sigurdson, H., Hanson A.K., and Carey, S., 1994, Surface-water acidification and extinction at the Cretaceous-Tertiary boundary: *Geology*, v. 22, p. 983-986.

Dibblee, T.W., 1952, *Geology of the Saltdale Quadrangle, California*: California Division of Mines Bulletin 160, p. 8-66, 3 Plates.

Engel, Rene, 1959, *Geology of the Lake Elsinore Quadrangle California*: California Division of Mines Bulletin 146, p. 59-154, 7 Plates.

Engel, Rene, Gay, Thomas E., Jr., and Rogers, B.L., 1959, *Mineral deposits of the Lake Elsinore Quadrangle California*: California Division of Mines Bulletin 146, p. 9-58, 3 Plates.

Evans, N.J., Gregoire, D.C., Goodfellow, W.D., Miles, N., and Veizer, J., 1994, The Cretaceous-Tertiary fireball layer, ejecta layer and coal seam: Platinum-group element content and mineralogy of size fraction: *Meteoritics*, v. 29, p. 223-235.

Frederiksen, N.O., 1984, Lower Tertiary pollen biostratigraphy, Maryland and Virginia, *in* Frederiksen, N.O., and Krafft, K., (eds.), *Cretaceous and Tertiary stratigraphy, paleontology, and structure, southwestern Maryland and northeastern Virginia*: American Association of Stratigraphic Palynologists Field Trip Volume and Guidebook.

Frederiksen, N.O., and Christopher, R.A., 1978, Taxonomy and biostratigraphy of Late Cretaceous and Paleogene triporate pollen from South Carolina: *Palynology*, v. 2, p. 113-145.

Gaponoff, S.L., 1984, *Palynology of the Silverado Formation (Late Paleocene), Riverside and Orange counties, California*: *Palynology*, v. 8. P. 71-106.

Guangqing Chen, Tyburczy, J.A., and Aherns, T.J., 1994, Shock-induced devolatilization of calcium sulfate and implications for K-T extinctions: *Earth and Planetary Science Letters*, v. 128, p. 615-628. [http://web.gps.caltech.edu/~sue/TJA_LindhurstLabWebsite/ListPublications/Papers_pdf/Seismo_1736.pdf] ("If all sulfur returned to the earth's surface in the form of sulfuric acid, the mass of sulfuric acid rain would amount to 0.5 – 3.6 kg/m²." P. 626)]

Ingersoll, R.V., Pratt, M.J., Davos, P.M., Caracciolo, L., Day, P.J., Hayne, P.O., Petrizzo, D.A., Gingrich, D.A., Cavazza, W., Critelli, S., Diamond, D.S., Coffey, K.T., Stang, D.M., Reith, R.C., and Hendrix, E.D., 2014, Paleotectonics of a complex Miocene half graben formed above a detachment fault; the Diligencia Basin, Orocopia Mountains, southern California: *Lithosphere*, v. 6, no. 3, p. 157-176.

Kraus, Mary J., 1999, Paleosols in clastic sedimentary rocks: their geologic applications: *Earth Science Reviews*, v. 47, p. 41-70.

Kring, D.A., 2007, The Chicxulub impact event and its environmental consequences at the Cretaceous-Tertiary Boundary: *Palaeogeography, Palaeoclimatology, Palaeoecology* v. 255, p. 4–21. [<http://www.ela-iet.com/EMD/Kring2007ChicxulubK-TReview.pdf>]

Lyons, J.R., and Aherns T.J., 2002, Terrestrial acidification at the K/T boundary, *in* V.L. Davison, Y. Horie, and T. Sekine, (eds.), *High-pressure shock compression of solids*: Springer-Verlag-New York, Inc. 2002, p. 181-197. [http://web.gps.caltech.edu/~asimow/TJA_LindhurstLabWebsite/ListPublications/Papers_pdf/Seismo_2074.pdf]

MacLeod, K.G., Huber, B.T., and Fullagar, P.D., 2001, Evidence for a small (~0.000030) but resolvable increase in seawater $^{87}\text{Sr}/^{86}\text{Sr}$ ratios across the Cretaceous-Tertiary boundary: *Geology*, v. 29 no. 4, p. 303-306. <http://geology.gsapubs.org/content/29/4/303.abstract>

Martin, E.E., and Macdougall, J.D., 1991, Seawater Sr isotopes at the Cretaceous/Tertiary boundary: *Earth and Planetary Science Letters*, v. 104 (2-4), p. 166-180. <http://www.geoscienceworld.org/cgi/georef/1991046437>

Miller, R.V., and Busch, L.L., 2016, Evidence for reassignment of kaolinite- and quartz-rich strata of the basal Tertiary section in California to the lower Paleocene: *abstract*, GSA Cordilleran Section abstracts with program, v. 48, No. 4, A27-5.

Nichols, D.J., 1973, North American and European species of *Momipites* (“*Engelhardtia*”) and related genera: *Geoscience and Man*, v. 7, p. 103-117.

Nichols, D.J., and Brown, J.L., 1992, Palynostratigraphy of the Tullock Member (lower Paleocene) of the Fort Union Formation in the Powder River Basin, Montana and Wyoming; U.S. Geological Survey Bulletin 1917-F, 35 p., 10 plates.

Norris, R.D., Firth, J., Blusztajn, J.S., and Ravizza, G., 2000, Mass failure of the North Atlantic margin triggered by the Cretaceous-Paleogene bolide impact: *Geology*, v. 28, p. 1119–1122.

Peterson, G.L., and Abbott, P.L., 1973, Weathering of the pre-Eocene terrane along coastal southwestern California and northern Baja California: *in* Ross, A. and Dowlen, R. (eds.), *Studies on the geology and geological hazards of the Greater San Diego Area, California: San Diego Association of Geologists and Association of Engineering Geologists Field Trip Guidebook*, p. 19-22.

Peterson, G.L., and Abbott, P.L., 1975, Paleocene age of lateritic paleosol, western San Diego County, California: *in* Ross, A. and Dowlen, R. (eds.), *Studies on the geology of Camp Pendleton and western San Diego County, California: San Diego Association of Geologists Field Trip Guidebook*, p. 60–64.

Pollastro, R.M., and Bohor, B.F., 1993, Origin and clay-mineral genesis of the Cretaceous-Tertiary boundary unit, western interior of North America: *Clays and Clay Minerals* v. 41, no. 1, p. 7-25.

Retallack, Greg, 1981, Fossil soils; indicators of ancient terrestrial environments, *in* Niklas, K.J. (ed.), *Paleobotany, Paleoecology, and Evolution*, v.1, p. 55-102: Praeger Publishers, New York.

Saul, L.R., 1983, Notes on Paleogene turritellas, venericardias, and molluscan stages of the Simi Valley area, California: *in* Squires, R.R., and Filewicz, M.V., (eds.), *Cenozoic geology of the Simi Valley area, southern California: Pacific Section, S.E.P.M., Fall Field Trip Volume and Guidebook*, p. 71-80. <http://decapoda.nhm.org/pdfs/33526/33526.pdf>.

Schoellhamer, J.E., Vedder, J.G., Yerkes, R.F., and Kinney, D.M., 1981, *Geology of the northern Santa Ana Mountains, California: U.S. Geological Survey Professional Paper 420-D*, 109 pages, 4 plates. <http://pubs.er.usgs.gov/publication/pp420D>

Smit, J., 1999, The global stratigraphy of the Cretaceous-Tertiary boundary impact ejecta: *Annual Review of Earth and Planetary Sciences*, v. 27, p. 75–113.

Squires, R.L., and Advocate, D.M., 1986, New Early Eocene mollusk from the Orocopia Mountains, southern California: *Journal of Paleontology*, v. 60, p. 851-864.

Sutherland, J.C., 1935, Geological investigation of the clays of Riverside and Orange counties, southern California: California Journal of Mines and Geology-31st Report of the State Mineralogist, p. 51-87, 1 Plate.

Yancey, T.E., 1997, Tsunamites and bolide impact: Cretaceous-Tertiary boundary deposits, northern shelf of the Gulf of Mexico: Geological Society of America Abstracts with Programs, v. 29, no. 6, p. A142.